Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 134
15 October to 15 November 1979

ACADEMIC PRESS
London New York San Francisco

QH301
J73

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 134

Number 1, 15 October 1979

de Narvaez, C. C. and Schaup, H. W., *In Vivo* Transcriptionally Coupled Assembly of *Escherichia coli* Ribosomal Subunits 1

Efimov, A. V., Packing of α-Helices in Globular Proteins. Layer-structure of Globin Hydrophobic Cores 23

Arisaka, F. and van Holde, K. E., Allosteric Properties and the Association Equilibria of Hemocyanin from *Callianassa californiensis* 41

Wagner, G. and Wüthrich, K., Structural Interpretation of the Amide Proton Exchange in the Basic Pancreatic Trypsin Inhibitor and Related Proteins 75

Lawrence, C., Hunter, T. and Walter, G., Characterization of the Simian Virus 40-specific Messenger RNAs Isolated from HeLa Cells Infected with the Non-defective Adenovirus 2–Simian Virus 40 Hybrid Viruses $Ad2^{+}ND2$ and $Ad2^{+}ND4$ 95

Stuart, D. I., Levine, M., Muirhead, H. and Stammers, D. K., Crystal Structure of Cat Muscle Pyruvate Kinase at a Resolution of 2·6 Å . . . 109

Akusjärvi, G. and Pettersson, U., Sequence Analysis of Adenovirus DNA IV. The Genomic Sequences Encoding the Common Tripartite Leader of Late Adenovirus Messenger RNA 143

Sandoval, I. V. and Weber, K., Polymerization of Tubulin in the Presence of Colchicine or Podophyllotoxin. Formation of a Ribbon Structure Induced by Guanylyl-5′-Methylene Diphosphonate 159

Pinset-Härström, I. and Truffy, J., Effect of Adenosine Triphosphate, Inorganic Phosphate and Divalent Cations on the Size and Structure of Synthetic Myosin Filaments. An Electron Microscope Study 173

Letter to the Editor

Pinset-Härström, I. and Whalen, R. G., Effect of Ageing of Myosin on its Ability to Form Synthetic Filaments and on Proteolysis of the LC2 Light Chain 189

NUMBER 2, 25 OCTOBER 1979

LADENSTEIN, R., EPP, O., BARTELS, K., JONES, A., HUBER, R. and WENDEL, A., Structure Analysis and Molecular Model of the Selenoenzyme Glutathione Peroxidase at 2·8 Å Resolution 199

LEGON, S., The Binding of Ribosomes to Polyoma Virus RNA. Possible Role of the Leader Region in Initiation Site Recognition 219

FOWLER, W. E. and ERICKSON, H. P., Trinodular Structure of Fibrinogen. Confirmation by both Shadowing and Negative Stain Electron Microscopy 241

MCGINNESS, T. and WAKE, R. G., Division Septation in the Absence of Chromosome Termination in *Bacillus subtilis* 251

CHOW, L. T., BROKER, T. R. and LEWIS, J. B., Complex Splicing Patterns of RNAs from the Early Regions of Adenovirus-2 265

FULLER, S. D., CAPALDI, R. A. and HENDERSON, R., Structure of Cytochrome *c* Oxidase in Deoxycholate-derived Two-dimensional Crystals . . 305

PONGS, O., PETERSEN, H. U., GRUNBERG-MANAGO, M., LANKA, E., BALD, R. and STÖFFLER, G., Crosslinking of Chemically Reactive A-U-G Analogs to Ribosomal Proteins within Initiation Complexes 329

WIESLANDER, L., Number and Structure of Balbiani Ring 75 S RNA Transcription Units in *Chironomus tentans* 347

LETTERS TO THE EDITOR

SKURATOVSKII, I. YA., VOLKOVA, L. I., KAPITONOVA, K. A. and BARTENEV, V. N., Position of Caesium Ions in Crystalline B-form DNA Determined by Synchrotron Radiation Diffraction. Preliminary results . . 369

SUSSMAN, J. L., ZIPORI, P., HAREL, M., YONATH, A. and WERBER, M. M., Preliminary X-ray Diffraction Studies on 2 Fe-Ferredoxin from *Halobacterium* of the Dead Sea 375

NUMBER 3, 5 NOVEMBER 1979

MCPHERSON, A., JURNAK, F. A., WANG, A. H. J., MOLINEUX, I. and RICH, A., Structure at 2·3 Å Resolution of the Gene *5* Product of Bacteriophage fd: A DNA Unwinding Protein 379

DEATHERAGE, J. F. and MOFFAT, K., Structure of Nitric Oxide Hemoglobin . 401

DEATHERAGE, J. F., OBENDORF, S. K. and MOFFAT, K., Structure of Azide Methemoglobin 419

BERTHET-COLOMINAS, C., MILLER, A. and WHITE, S. W., Structural Study of the Calcifying Collagen in Turkey Leg Tendons 431

ROSE, G. D., Hierarchic Organization of Domains in Globular Proteins . . 447

PETERS, M. and YARUS, M., Transfer RNA Selection at the Ribosomal A and P Sites 471

Appendix 489

FAUGERON-FONTY, G., CULARD, F., BALDACCI, G., GOURSOT, R., PRUNELL, A. and BERNARDI, G., The Mitochondrial Genome of Wild-type Yeast Cells VIII. The Spontaneous Cytoplasmic "Petite" Mutation 493

Appendix: Construction of the Physical Maps of Petite Genomes . . 533

HARTWIG, J. H. and STOSSEL, T. P., Cytochalasin B and the Structure of Actin Gels 539

DIN, N. and ENGBERG, J., Extrachromosomal Ribosomal RNA Genes in *Tetrahymena*: Structure and Evolution 555

EARNSHAW, W. C., HENDRIX, R. W. and KING, J., Structural Studies of Bacteriophage Lambda Heads and Proheads by Small Angle X-ray Diffraction 575

SCHINDLER, D. G., LANGER, J. A., ENGELMAN, D. M. and MOORE, P. B., Positions of Proteins S10, S11 and S12 in the 30 S Ribosomal Subunit of *Escherichia coli* 595

CAPLAN, A. B. and MENNINGER, J. R., Tests of the Ribosomal Editing Hypothesis: Amino Acid Starvation Differentially Enhances the Dissociation of Peptidyl-tRNA from the Ribosome 621

JOHNSON, L. N., STURA, E. A., WILSON, K. S., SANSOM, M. S. P. and WEBER, I. T., Nucleotide Binding to Glycogen Phosphorylase *b* in the Crystal . 639

HADI, S. M., BÄCHI, B., SHEPHERD, J. C. W., YUAN, R., INEICHEN, K. and BICKLE, T. A., DNA Recognition and Cleavage by the *Eco*P15 Restriction Endonuclease 655

LETTER TO THE EDITOR

GRIMM, M. F. and LAMBOWITZ, A. M., The 32 S RNA of *Neurospora crassa* Mitochondria is not a Precursor of the Mitochondrial Ribosomal RNAs . 667

NUMBER 4, 15 NOVEMBER 1979

BÜLDT, G., GALLY, H. U., SEELIG, J. and ZACCAI, G., Neutron Diffraction Studies on Phosphatidylcholine Model Membranes. I. Head Group Conformation 673

ZACCAI, G., BÜLDT, G., SEELIG, A. and SEELIG, J., Neutron Diffraction Studies on Phosphatidylcholine Model Membranes. II. Chain Conformation and Segmental Disorder 693

JOHANNSSEN, W., SCHÜTTE, H., MAYER, F. and MAYER, H., Quaternary Structure of the Isolated Restriction Endonuclease EndoR·*Bgl*I from *Bacillus globigii* as Revealed by Electron Microscopy 707

KRAUTER, K. S., SOEIRO, R. and NADAL-GINARD, B., Transcriptional Regulation of Ribosomal RNA Accumulation During L_6E_9 Myoblast Differentiation . 727

ARNHEIM, N. and KUEHN, M., The Genetic Behaviour of a Cloned Mouse Ribosomal DNA Segment Mimics Mouse Ribosomal Gene Evolution . 743

Appendix: ROHLF, F. J., Least-Squares Estimation of the Repeat Length 763

STARK, M. and CUNDLIFFE, E., On the Biological Role of Ribosomal Protein BM-L11 of *Bacillus megaterium*, Homologous with *Escherichia coli* Ribosomal Protein L11 767

SIELECKI, A. R., HENDRICKSON, W. A., BROUGHTON, C. G., DELBAERE, L. T. J., BRAYER, G. D. and JAMES, M. N. G., Protein Structure Refinement: *Streptomyces griseus* Serine Protease A at 1·8 Å Resolution . . . 781

DONEHOWER, L. and GILLESPIE, D., Restriction Site Periodicities in Highly Repetitive DNA of Primates 805

LETTERS TO THE EDITOR

SINGER, D. and DONEHOWER, L., Highly Repeated DNA of the Baboon: Organization of Sequences Homologous to Highly Repeated DNA of the African Green Monkey 835

TORBET, J. and MARET, G., Fibres of Highly Oriented Pfl Bacteriophage Produced in a Strong Magnetic Field 843

BEISSNER, R. S., QUIOCHO, F. A. and RUDOLPH, F. B., Dinucleotide Fold Proteins: Interaction of Arabinose Binding Protein with Cibacron Blue 3G-A 847

EDELSTEIN, S. J. and CREPEAU, R. H., Oblique Alignment of Hemoglobin S Fibers in Sickled Cells 851

Index to Volume 134

Actin gel structure and cytochalasin B, 539
Adenosine triphosphate, inorganic phosphate and divalent cations, their effect on the size and structure of synthetic myosin filaments; an electron microscope study, 173
Adenovirus DNA sequence analysis: the genomic sequences encoding the common tripartite leader of late adenovirus mRNA, 143
— -2, complex splicing patterns of RNAs from the early regions, 265
$Ad2^{+}ND2$ and $Ad2^{+}ND4$ SV40-specific mRNAs, 95
African green monkey highly repeated DNA, organization of homologous sequences of highly repeated DNA of the baboon, 835
Ageing of myosin, effect on its ability to form synthetic filaments and on proteolysis of the LC2 light chain, 189
Akusjärvi, G. & Pettersson, U., Sequence analysis of adenovirus DNA. IV. The genomic sequences encoding the common tripartite leader of late adenovirus messenger RNA, 143
Allosteric properties and the association equilibria of hemocyanin from *Callianassa californiensis*, 41
Amide proton exchange in the basic pancreatic trypsin inhibitor and related proteins, structural interpretation, 75
Amino acid starvation differentially enhances the dissociation of peptidyl-tRNA from the ribosome; tests of the ribosomal editing hypothesis, 621
Arabinose binding protein, interaction with Cibacron Blue 3G-A; dinucleotide fold proteins, 847
Arisaka, F. & Van Holde, K. E., Allosteric properties and the association equilibria of hemocyanin from *Callianassa californiensis*, 41
Arnheim, N. & Kuehn, M., The genetic behaviour of a cloned mouse ribosomal DNA segment mimics mouse ribosomal gene evolution, 743
Assembly, transcriptionally coupled, *in vivo*, of *Escherichia coli* ribosomal subunits, 1
A-U-G analogs to ribosomal proteins within initiation complexes: crosslinking, 329
Azide methemoglobin structure, 419

Baboon highly repeated DNA: organization of sequences homologous to highly repeated DNA of the African green monkey, 835
Bächi, B. (see also Hadi, S. M.), 655
Bacillus globigii, quaternary structure of the isolated restriction endonuclease EndoR·*Bgl*I as revealed by electron microscopy, 707
— *megaterium* ribosomal protein BM-L11, homologous with *Escherichia coli* ribosomal protein L11; biological role, 767
— *subtilis*, division septation in the absence of chromosome termination, 251
Bacteriophage fd gene *5* product, a DNA unwinding protein, structure at 2·3 Å resolution, 379
— lambda heads and proheads, structural studies by small angle X-ray diffraction, 575
— Pf1, production of highly oriented fibres in a strong magnetic field, 843
Balbiani ring 75 S RNA transcription units in *Chironomus tentans*, number and structure, 347
Bald, R. (see also Pongs, O.), 329
Baldacci, G. (see also Faugeron-Fonty, G.), 493
Bartels, K. (see also Ladenstein, R.), 199
Bartenev, V. N. (see also Skuratovskii, I. Ya.), 369
Basic pancreatic trypsin inhibitor and related proteins, structural interpretation of the amide proton exchange, 75
Beissner, R. S., Quiocho, F. A. & Rudolph, F. B., Dinucleotide fold proteins: interaction of arabinose binding protein with Cibacron Blue 3G-A, 847
Bernardi, G. (see also Faugeron-Fonty, G.), 493
Berthet-Colominas, C., Miller, A. & White, S. W., Structural study of the calcifying collagen in turkey leg tendons, 431
Bickle, T. A. (see also Hadi, S. M.), 655
Binding of nucleotides to glycogen phosphorylase *b* in the crystal, 639
— — ribosomes to polyoma virus RNA; possible role of the leader region in initiation site recognition, 219
Biological role of ribosomal protein BM-L11 of *Bacillus megaterium*, homologous with *Escherichia coli* ribosomal protein L11, 767

Brayer, G. D. (see also Sielecki, A. R.), 781
Broker, T. R. (see also Chow, L. T.), 265
Broughton, C. G. (see also Sielecki, A. R.), 781
Büldt, G., Gally, H. U., Seelig, J. & Zaccai, G., Neutron diffraction studies on phosphatidylcholine model membranes. I. Head group conformation, 673
— — (see also Zaccai, G.), 693

Caesium ions, position in crystalline B-form DNA, preliminary results of determination by synchrotron radiation diffraction, 369
Calcifying collagen in turkey leg tendons, a structural study, 431
Callianassa californiensis hemocyanin, allosteric properties and the association equilibria, 41
Capaldi, R. A. (see also Fuller, S. D.), 305
Caplan, A. B. & Menninger, J. R., Tests of the ribosomal editing hypothesis: amino acid starvation differentially enhances the dissociation of peptidyl-tRNA from the ribosome, 621
Cat muscle pyruvate kinase, crystal structure at 2·6 Å resolution, 109
Chain conformation and segmental disorder; neutron diffraction studies on phosphatidylcholine model membranes, 693
Chironomus tentans, number and structure of Balbiani ring 75 S RNA transcription units, 347
Chow, L. T., Broker, T. R. & Lewis, J. B., Complex splicing patterns of RNAs from the early regions of adenovirus-2, 265
Chromosome termination in *Bacillus subtilis*, division septation in its absence, 251
Cibacron Blue 3G-A, interaction with arabinose binding protein; dinucleotide fold proteins, 847
Cleavage and recognition of DNA by the *Eco*P15 restriction endonuclease, 655
Cloned mouse ribosomal DNA segment has genetic behaviour that mimics mouse ribosomal gene evolution, 743
Colchicine or podophyllotoxin, polymerization of tubulin in their presence; formation of a ribbon structure induced by guanylyl-5′-methylene diphosphonate, 159
Collagen, calcifying, in turkey leg tendons, a structural study, 431
Crepeau, R. H. (see also Edelstein, S. J.), 851
Crosslinking of chemically reactive A-U-G analogs to ribosomal proteins within initiation complexes, 329
Crystal structure of cat muscle pyruvate kinase at a resolution of 2·6 Å, 109
— —, two-dimensional, of cytochrome *c* oxidase prepared with deoxycholate, 305
Crystalline B-form DNA, determination of position of caesium ions by synchrotron radiation diffraction; preliminary results, 369
Culard, F. (see also Faugeron-Fonty, G.), 493
Cundliffe, E. (see also Stark, M.), 767
Cytochalasin B and the structure of actin gels, 539
Cytochrome *c* oxidase, structure in deoxycholate-derived two-dimensional crystals, 305

de Narvaez, C. C. & Schaup, H. W., *In vivo* transcriptionally coupled assembly of *Escherichia coli* ribosomal subunits, 1
Dead Sea *Halobacterium*, preliminary X-ray diffraction studies on 2 Fe-ferredoxin, 375
Deatherage, J. F. & Moffat, K., Structure of nitric oxide hemoglobin, 401
— —, Obendorf, S. K. & Moffat, K., Structure of azide methemoglobin, 419
Delbaere, L. T. J. (see also Sielecki, A. R.), 781
Deoxycholate-derived two-dimensional crystal structure of cytochrome *c* oxidase, 305
DNA, adenovirus, sequence analysis: the genomic sequences encoding the common tripartite leader of late adenovirus mRNA, 143
—, crystalline B-form, determination of position of caesium ions by synchrotron radiation diffraction; preliminary results, 369
—, highly repeated, of the baboon: organization of sequences homologous to highly repeated DNA of the African green monkey, 835
—, repetitive, of primates: restriction site periodicities, 805
— recognition and cleavage by the *Eco*P15 restriction endonuclease, 655
— segment, ribosomal, cloned, of mouse, has genetic behaviour that mimics mouse ribosomal gene evolution, 743
— unwinding protein, gene *5* product of bacteriophage fd, structure at 2·3 Å resolution, 379
Din, N. & Engberg, J., Extrachromosomal ribosomal RNA genes in *Tetrahymena*: structure and evolution, 555
Dinucleotide fold proteins: interaction of arabinose binding protein with Cibacron Blue 3G-A, 847
Division septation in the absence of chromosome termination in *Bacillus subtilis*, 251
Domain hierarchic organization in globular proteins, 447

Donehower, L. & Gillespie, D., Restriction site periodicities in highly repetitive DNA of primates, 805
— — (see also Singer, D.), 835

Earnshaw, W. C., Hendrix, R. W. & King, J., Structural studies of bacteriophage lambda heads and proheads by small angle X-ray diffraction, 575
*Eco*P15 restriction endonuclease, DNA recognition and cleavage, 655
Edelstein, S. J. & Crepeau, R. H., Oblique alignment of hemoglobin S fibers in sickled cells, 851
Efimov, A. V., Packing of α-helices in globular proteins. Layer-structure of globin hydrophobic cores, 23
Electron microscope study of the effect of adenosine triphosphate, inorganic phosphate and divalent cations on the size and structure of synthetic myosin filaments, 173
— — — — trinodular structure of fibrinogen, 241
EndoR·*Bgl*I from *Bacillus globigii*, quaternary structure as revealed by electron microscopy, 707
Engberg, J. (see also DIN, N.), 555
Engelman, D. M. (see also Schindler, D. G.), 595
Epp, O. (see also Ladenstein, R.), 199
Erickson, H. P. (see also Fowler, W. E.), 241
Escherichia coli, *in vivo* transcriptionally coupled assembly of ribosomal subunits, 1
— —, positions of proteins S10, S11 and S12 in the 30 S ribosomal subunit, 595
— — ribosomal protein L11, on the biological role of homologous ribosomal protein BM-L11 of *Bacillus megaterium*, 767

Faugeron-Fonty, G., Culard, F., Baldacci, G., Goursot, R., Prunell, A. & Bernardi, G., The mitochondrial genome of wild-type yeast cells. VIII. The spontaneous cytoplasmic "petite" mutation, 493
fd (see also Bacteriophage), 379
2 Fe-ferredoxin from *Halobacterium* of the Dead Sea, preliminary X-ray diffraction studies, 375
Fibers of hemoglobin S, oblique alignment in sickled cells, 851
— — highly oriented Pf1 bacteriophage produced in a strong magnetic field, 843
Fibrinogen trinodular structure: confirmation by both shadowing and negative stain electron microscopy, 241
Filaments of myosin, effect of ageing on ability of formation and on proteolysis of the LC2 light chain, 189
— — —, synthetic, the effect of adenosine triphosphate, inorganic phosphate and divalent cations on their size and structure; an electron microscope study, 173
Fowler, W. E. & Erickson, H. P., Trinodular structure of fibrinogen. Confirmation by both shadowing and negative stain electron microscopy, 241
Fuller, S. D., Capaldi, R. A. & Henderson, R., Structure of cytochrome *c* oxidase in deoxycholate-derived two-dimensional crystals, 305

Gally, H. U. (see also Büldt, G.), 673
Gene *5* product of bacteriophage fd, a DNA unwinding protein; structure at 2·3 Å resolution, 379
Genes for ribosomal RNA, extrachromosomal, in *Tetrahymena*: structure and evolution, 555
Genetic behaviour of a cloned mouse ribosomal DNA segment mimics mouse ribosomal gene evolution, 743
Genome, mitochondrial, of wild-type yeast cells: the spontaneous cytoplasmic "petite" mutation, 493
Gillespie, D. (see also Donehower, L.), 805
Globin hydrophobic core layer-structure; packing of α-helices in globular proteins, 23
Globular proteins, hierarchic organization of domains, 447
— —, packing of α-helices; layer-structure of globin hydrophobic cores, 23
Glutathione peroxidase, structure analysis and molecular model at 2·8 Å resolution, 199
Glycogen phosphorylase *b*, nucleotide binding in the crystal, 639
Goursot, R. (see also Faugeron-Fonty, G.), 493
Grimm, M. F. & Lambowitz, A. M., The 32 S RNA of *Neurospora crassa* mitochondria is not a precursor of the mitochondrial ribosomal RNAs, 667
Grunberg-Manago, M. (see also Pongs, O.), 329
Guanylyl-5′-methylene diphosphonate-induced formation of a ribbon structure; polymerization of tubulin in the presence of colchicine or podophyllotoxin, 159

Hadi, S. M., Bächi, B., Shepherd, J. C. W., Yuan, R., Ineichen, K. & Bickle, T. A., DNA recognition and cleavage by the *Eco*P15 restriction endonuclease, 655
Halobacterium of the Dead Sea, preliminary X-ray diffraction studies on 2 Fe-ferredoxin, 375

Harel, M. (see also Sussman, J. L.), 375
Hartwig, J. H. & Stossel, T. P., Cytochalasin B and the structure of actin gels, 539
Heads and proheads of bacteriophage lambda, structural studies by small angle X-ray diffraction, 575
HeLa cells infected with the non-defective adenovirus 2-simian virus 40 hybrid viruses Ad2$^+$ND2 and Ad2$^+$ND4, characterization of the isolated simian virus 40-specific messenger RNAs, 95
α-Helices, packing in globular proteins; layer-structure of globin hydrophobic cores, 23
Hemocyanin from *Callianassa californiensis*, allosteric properties and the association equilibria, 41
Hemoglobin S fibers, oblique alignment in sickled cells, 851
Henderson, R. (see also Fuller, S. D.), 305
Hendrix, R. W. (see also Earnshaw, W. C.), 575
Hendrickson, W. A. (see also Sielecki, A. R.), 781
Huber, R. (see also Ladenstein, R.), 199
Hunter, T. (see also Lawrence, C.), 95

Ineichen, K. (see also Hadi, S. M.), 655
Initiation complexes: crosslinking of chemically reactive A-U-G analogs to ribosomal proteins, 329

James, M. N. G. (see also Sielecki, A. R.), 781
Johannssen, W., Schütte, H., Mayer, F. & Mayer, H., Quaternary structure of the isolated restriction endonuclease EndoR·*Bgl*I from *Bacillus globigii* as revealed by electron microscopy, 707
Johnson, L. N., Stura, E. A., Wilson, K. S., Sansom, M. S. P. & Weber, I. T., Nucleotide binding to glycogen phosphorylase *b* in the crystal, 639
Jones, A. (see also Ladenstein, R.), 199
Jurnak, F. A. (see also McPherson, A.), 379

Kapitonova, K. A. (see also Skuratovskii, I. Ya.), 369
King, J. (see also Earnshaw, W. C.), 575
Krauter, K. S., Soeiro, R. & Nadal-Ginard, B., Transcriptional regulation of ribosomal RNA accumulation during L_6E_9 myoblast differentiation, 727
Kuehn, M. (see also Arnheim, N.), 743

L11 ribosomal protein of *Escherichia coli*, on the biological role of homologous ribosomal protein BM-L11 of *Bacillus megaterium*, 767
λ (see also Bacteriophage), 575
Ladenstein, R., Epp, O., Bartels, K., Jones, A., Huber, R. & Wendel, A., Structure analysis and molecular model of the selenoenzyme glutathione peroxidase at 2·8 Å resolution, 199
Lambowitz, A. M. (see also Grimm, M. F.), 667
Langer, J. A. (see also Schindler, D. G.), 595
Lanka, E. (see also Pongs, O.), 329
Lawrence, C., Hunter, T. & Walter, G., Characterization of the simian virus 40-specific messenger RNAs isolated from HeLa cells infected with the non-defective adenovirus 2-simian virus 40 hybrid viruses Ad2$^+$ND2 and Ad2$^+$ND4, 95
LC2 light chain proteolysis and the ability of myosin to form synthetic filaments, the effect of ageing, 189
L_6E_9 myoblast differentiation and the transcriptional regulation of ribosomal RNA accumulation, 727
Leader region, possible role in initiation site recognition; the binding of ribosomes to polyoma virus RNA, 219
—, tripartite, of late adenovirus mRNA, the encoding genomic sequences; sequence analysis of adenovirus DNA, 143
Least-squares estimation of repeat length, 763
Legon, S., The binding of ribosomes to polyoma virus RNA. Possible role of the leader region in initiation site recognition, 219
Lewis, J. B. (see also Chow, L. T.), 265

McGinness, T. & Wake, R. G., Division septation in the absence of chromosome termination in *Bacillus subtilis*, 251
McPherson, A., Jurnak, F. A., Wang, A. H. J., Molineux, I. & Rich, A., Structure at 2·3 Å resolution of the gene *5* product of bacteriophage fd: a DNA unwinding protein, 379
Magnetic field, strong, and the production of fibres of highly oriented Pf1 bacteriophage, 843
Maret, G. (see also Torbet, J.), 843
Mayer, F. (see also Johannssen, W.), 707

Mayer, H. (see also Johannssen, W.), 707
Menninger, J. R. (see also Caplan, A. B.), 621
Messenger RNA, late adenovirus, the genomic sequences encoding the common tripartite leader; sequence analysis of adenovirus DNA, 143
— RNAs, simian virus 40-specific, isolated from HeLa cells infected with the non-defective adenovirus 2-simian virus 40 hybrid viruses Ad2$^+$ND2 and Ad2$^+$ND4; characterization, 95
Miller, A. (see also Berthet-Colominas, C.), 431
Mitochondrial genome of wild-type yeast cells; the spontaneous cytoplasmic "petite" mutation, 493
Mitochondrial 32 S RNA of *Neurospora crassa* is not a precursor of the mitochondrial ribosomal RNAs, 667
Moffat, K. (see also Deatherage, J. F.), 401, 419
Molineux, I. (see also McPherson, A.), 379
Moore, P. B. (see also Schindler, D. G.), 595
Mouse ribosomal DNA segment, cloned, has genetic behaviour that mimics mouse ribosomal gene evolution, 743
Muirhead, H. (see also Stuart, D. I.), 109
Muscle, cat, crystal structure of pyruvate kinase at 2·6 Å resolution, 109
Mutation, spontaneous cytoplasmic "petite", in yeast, 493
Myosin filaments, synthetic, the effect of adenosine triphosphate, inorganic phosphate and divalent cations on their size and structure; an electron microscope study, 173
—, effect of ageing on its ability to form synthetic filaments and on proteolysis of the LC2 light chain, 189

Nadal-Ginard, B. (see also Krauter, K. S.), 727
Negative stain electron microscopy and the confirmation of the trinodular structure of fibrinogen, 241
Neurospora crassa mitochondrial 32 S RNA is not a precursor of the mitochondrial ribosomal RNAs, 667
Neutron diffraction studies on phosphatidylcholine model membranes: chain conformation and segmental disorder, 693
— diffraction studies on phosphatidylcholine model membranes: head group conformation, 673
Nitric oxide hemoglobin structure, 401

Obendorf, S. K. (see also Deatherage, J. F.), 419
Oblique alignment of hemoglobin S fibers in sickled cells, 851

Packing of α-helices in globular proteins; layer-structure of globin hydrophobic cores, 23
Peptidyl-tRNA dissociation from the ribosome is enhanced differentially by amino acid starvation; tests of the ribosomal editing hypothesis, 621
Peters, M. & Yarus, M., Transfer RNA selection at the ribosomal A and P sites, 471
Petersen, H. U. (see also Pongs, O.), 329
Petite genomes, construction of physical maps, 533
— mutation, cytoplasmic, spontaneous, in yeast, 493
Pettersson, U. (see also Akusjärvi, G.), 143
Pf1 (see also Bacteriophage), 843
Phosphatidylcholine model membranes, neutron diffraction studies: chain conformation and segmental disorder, 693
— — — , — — —: head group conformation, 673
Pinset-Härström, I. & Truffy, J., Effect of adenosine triphosphate, inorganic phosphate and divalent cations on the size and structure of synthetic myosin filaments. An electron microscope study, 173
— —,—, & Whalen, R. G., Effect of ageing of myosin on its ability to form synthetic filaments and on proteolysis of the LC2 light chain, 189
Podophyllotoxin or colchicine, polymerization of tubulin in their presence; formation of a ribbon structure induced by guanylyl-5′-methylene diphosphonate, 159
Polymerization of tubulin in the presence of colchicine or podophyllotoxin; formation of a ribbon structure induced by guanylyl-5′-methylene diphosphonate, 159
Polyoma virus (see also Virus), 219
Pongs, O., Petersen, H. U., Grunberg-Manago, M., Lanka, E., Bald, R. & Stöffler, G., Crosslinking of chemically reactive A-U-G analogs to ribosomal proteins within initiation complexes, 329

Primate highly repetitive DNA: restriction site periodicities, 805
Protein BM-L11, ribosomal, of *Bacillus megaterium*, homologous with *Escherichia coli* ribosomal protein L11; biological role, 767
— conformation and amide proton exchange, 75
—, DNA unwinding, gene *5* product of bacteriophage fd; structure at 2·3 Å resolution, 379
— structure refinement: *Streptomyces griseus* serine protease *A* at 1·8 Å resolution, 781
—, dinucleotide fold: interaction of arabinose binding protein with Cibacron Blue 3G-A, 847
—, globular, hierarchic organization of domains, 447
—, globular, packing of α-helices; layer-structure of globin hydrophobic cores, 23
—, ribosomal, in initiation complexes: crosslinking of chemically reactive A-U-G analogs, 329
— S10, S11 and S12, positions in the 30 S ribosomal subunit of *Escherichia coli*, 595
Proteolysis of the LC2 light chain and the ability of myosin to form synthetic filaments, the effect of ageing, 189
Proton exchange in the basic pancreatic trypsin inhibitor and related proteins: structural interpretation, 75
Prunell, A. (see also Faugeron-Fonty, G.), 493
Pyruvate kinase, cat muscle, crystal structure at 2·6 Å resolution, 109

Quiocho, F. A. (see also Beissner, R. S.), 847

Recognition and cleavage of DNA by the *Eco*P15 restriction endonuclease, 655
Regulation, transcriptional, of ribosomal RNA accumulation during L_6E_9 myoblast differentiation, 727
Repeat length, least-squares estimation, 763
Restriction endonuclease *Eco*P15, DNA recognition and cleavage, 655
— — EndoR·*Bgl*I from *Bacillus globigii*, quaternary structure as revealed by electron microscopy, 707
— site periodicities in highly repetitive DNA of primates, 805
Ribbon structure induced by guanylyl-5′-methylene diphosphonate; polymerization of tubulin in the presence of colchicine or podophyllotoxin, 159
RNA complex splicing patterns for the early regions of adenovirus-2, 265
— genes, ribosomal, extrachromosomal, in *Tetrahymena*: structure and evolution, 555
—, polyoma virus, and the binding of ribosomes; possible role of the leader region in initiation site recognition, 219
—, ribosomal, accumulation: transcriptional regulation during L_6E_9 myoblast differentiation, 727
— 32 S of *Neurospora crassa* mitochondria is not a precursor of the mitochondrial ribosomal RNAs, 667
— transcription units, Balbiani ring 75 S, in *Chironomus tentans*, their number and structure, 347
Ribosomal A and P sites and transfer RNA selection, 471
— binding to polyoma virus RNA; possible role of the leader region in initiation site recognition, 219
— DNA segment, cloned, of mouse, has genetic behaviour that mimics mouse ribosomal gene evolution, 743
— editing hypothesis tests: amino acid starvation differentially enhances the dissociation of peptidyl-tRNA from the ribosome, 621
— protein BM-L11 of *Bacillus megaterium*, homologous with *Escherichia coli* ribosomal protein L11; biological role, 767
— proteins within initiation complexes, crosslinking of chemically reactive A-U-G analogs, 329
— RNA accumulation, transcriptional regulation during L_6E_9 myoblast differentiation, 727
— — genes, extrachromosomal, in *Tetrahymena*: structure and evolution, 555
— 30 S subunit of *Escherichia coli*, positions of proteins S10, S11 and S12, 595
— subunits of *Escherichia coli*, *in vivo* transcriptionally coupled assembly, 1
Rich, A. (see also McPherson, A.), 379
Rohlf, F. J., Least-squares estimation of the repeat length (*Appendix* to Arnheim, N. & Kuehn, M., 743), 763
Rose, G. D., Hierarchic organization of domains in globular proteins, 447
Rudolph, F. B. (see also Beissner, R. S.), 847

S10, S11 and S12 proteins, positions in the 30 S ribosomal subunit of *Escherichia coli*, 595
Sandoval, I. V. & Weber, K., Polymerization of tubulin in the presence of colchicine or podophyllotoxin. Formation of a ribbon structure induced by guanylyl-5′-methylene diphosphonate, 159
Sansom, M. S. P. (see also Johnson, L. N.), 639

Schaup, H. W. (see also de Narvaez, C. C.), 1
Schindler, D. G., Langer, J. A., Engelman, D. M. & Moore, P. B., Positions of proteins S10, S11 and S12 in the 30 S ribosomal subunit of *Escherichia coli*, 595
Schütte, H. (see also Johannssen, W.), 707
Seelig, A. (see also Zaccai, G.), 693
—, J. (see also Büldt, G.), 673
— (see also Zaccai, G.), 693
Selenoenzyme glutathione peroxidase, structure analysis and molecular model at 2·8 Å resolution, 199
Sequence analysis of adenovirus DNA: the genomic sequences encoding the common tripartite leader of late adenovirus messenger RNA, 143
Sequences of highly repeated DNA of the baboon homologous to highly repeated DNA of the African green monkey, 835
Serine protease *A* from *Streptomyces griseus*, structure at 1·8 Å resolution, 781
Shepherd, J. C. W. (see also Hadi, S. M.), 655
Sickled cells, oblique alignment of hemoglobin S fibers, 851
Sielecki, A. R., Hendrickson, W. A., Broughton, C. G., Delbaere, L. T. J., Brayer, G. D. & James, M. N. G., Protein structure refinement: *Streptomyces griseus* serine protease A at 1·8 Å resolution, 781
Simian virus 40 (see also Virus), 95
Singer, D. & Donehower, L., Highly repeated DNA of the baboon: organization of sequences homologous to highly repeated DNA of the African green monkey, 835
Skuratovskii, I. Ya., Volkova, L. I., Kapitonova, K. A. & Bartenev, V. N., Position of caesium ions in crystalline B-form DNA determined by synchrotron radiation diffraction. Preliminary results, 369
Soeiro, R. (see also Krauter, K. S.), 727
Splicing patterns, complex, of RNAs from the early regions of adenovirus-2, 265
Stammers, D. K. (see also Stuart, D. I.), 109
Stark, M. & Cundliffe, E., On the biological role of ribosomal protein BM-L11 of *Bacillus megaterium*, homologous with *Escherichia coli* ribosomal protein L11, 767
Starvation, amino acid, differentially enhances the dissociation of peptidyl-tRNA from the ribosome; tests of the ribosomal editing hypothesis, 621
Stöffler, G. (see also Pongs, O.), 329
Stossel, T. P. (see also Hartwig, J. H.), 539
Streptomyces griseus serine protease *A*, structure at 1·8 Å resolution, 781
Structural interpretation of the amide proton exchange in the basic pancreatic trypsin inhibitor and related proteins, 75
— studies of bacteriophage lambda heads and proheads by small angle X-ray diffraction, 575
— study of the calcifying collagen in turkey leg tendon, 431
Structure analysis and molecular model of the selenoenzyme glutathione peroxidase at 2·8 Å resolution, 199
— and evolution of extrachromosomal ribosomal RNA genes in *Tetrahymena*, 555
— — number of Balbiani ring 75 S RNA transcription units in *Chironomus tentans*, 347
— — size of synthetic myosin filaments and the effect of adenosine triphosphate, inorganic phosphate and divalent cations; an electron microscope study, 173
— at 2·3 Å resolution of the gene *5* product of bacteriophage fd: a DNA unwinding protein, 379
— of actin gels, and cytochalasin B, 539
— azide methemoglobin, 419
— — cat muscle pyruvate kinase at a resolution of 2·6 Å, 109
— — chains, and segmental disorder; neutron diffraction studies on phosphatidylcholine model membranes, 693
— — cytochrome *c* oxidase in deoxycholate-derived two-dimensional crystals, 305
— — head group; neutron diffraction studies on phosphatidylcholine model membrances, 673
— — nitric oxide hemoglobin, 401
— — protein: *Streptomyces griseus* serine protease *A* at 1·8 Å resolution, 781
—, quaternary, of the isolated restriction endonuclease EndoR·*Bgl*I from *Bacillus globigii* as revealed by electron microscopy, 707
—, trinodular, of fibrinogen: confirmation by both shadowing and negative stain electron microscopy, 241
Stuart, D. I., Levine, M., Muirhead, H. & Stammers, D. K., Crystal structure of cat muscle pyruvate kinase at a resolution of 2·6 Å, 109
Stura, E. A. (see also Johnson, L. N.), 639

Sussman, J. L., Zipori, P., Harel, M., Yonath, A. & Werber, M. M., Preliminary X-ray diffraction studies on 2 Fe-ferredoxin from *Halobacterium* of the Dead Sea, 375
Synchrotron radiation diffraction determination of the position of caesium ions in crystalline B-form DNA; preliminary results, 369

Tetrahymena extrachromosomal ribosomal RNA genes: structure and evolution, 555
Torbet, J. & Maret, G., Fibres of highly oriented Pf1 bacteriophage produced in a strong magnetic field, 843
Transcription units, Balbiani ring 75 S RNA, in *Chironomus tentans*, their number and structure, 347
Transcriptional regulation of ribosomal RNA accumulation during L_6E_9 myoblast differentiation, 727
Transcriptionally coupled assembly of *Escherichia coli* ribosomal subunits *in vivo*, 1
Transfer RNA selection at the ribosomal A and P sites, 471
Trinodular structure of fibrinogen: confirmation by both shadowing and negative stain electron microscopy, 241
Truffy, J. (see also Pinset-Härström, I.), 173
Tubulin polymerization in the presence of colchicine or podophyllotoxin; formation of a ribbon structure induced by guanylyl-5′-methylene diphosphonate, 159
Turkey leg tendons, structural study of the calcifying collagen, 431

Van Holde, K. E. (see also Arisaka, F.), 41
Virus, polyoma, RNA and the binding of ribosomes; possible role of the leader region in initiation site recognition, 219
—, SV40-specific messenger RNAs isolated from HeLa cells infected with the non-defective adenovirus 2–simian virus 40 hybrid viruses $Ad2^+ND2$ and $Ad2^+ND4$; characterization, 95
Volkova, L. I. (see also Skuratovskii, I. Ya.), 369

Wagner, G. & Wüthrich, K., Structural interpretation of the amide proton exchange in the basic pancreatic trypsin inhibitor and related proteins, 75
Wake, R. G. (see also McGinness, T.), 251
Walter, G. (see also Lawrence, C.), 95
Wang, A. H. J. (see also McPherson, A.), 379
Weber, I. T. (see also Johnson, L. N.), 639
—, K. (see also Sandoval, I. V.), 159
Wendel, A. (see also Ladenstein, R.), 199
Werber, M. M. (see also Sussman, J. L.), 375
Whalen, R. G. (see also Pinset-Härström, I.), 189
White, S. W. (see also Berthet-Colominas, C.), 431
Wieslander, L., Number and structure of Balbiani ring 75 S RNA transcription units in *Chironomus tentans*, 347
Wild-type yeast cells, the mitochondrial genome: the spontaneous cytoplasmic "petite" mutation, 493
Wilson, K. S. (see also Johnson, L. N.), 639
Wüthrich, K. (see also Wagner, G.), 75

X-ray diffraction, small angle, study of structure of bacteriophage lambda heads and proheads, 575
— — studies, preliminary, on 2 Fe-ferredoxin from *Halobacterium* of the Dead Sea, 375

Yarus, M. (see also Peters, M.), 471
Yeast cells, wild-type, the mitochondrial genome: the spontaneous cytoplasmic "petite" mutation, 493
Yonath, A. (see also Sussman, J. L.), 375
Yuan, R. (see also Hadi, S. M.), 655
Zaccai, G., Büldt, G., Seelig, A. & Seelig, J., Neutron diffraction studies on phosphatidylcholine model membranes. II. Chain conformation and segmental disorder, 693
— (see also Büldt, G.), 673

Zipori, P. (see also Sussman, J. L.), 375